## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


## IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.






F16. 3







1												
138	FIXEDMODULE ACU	FIXEP MODULECHILLED   WATERSYSTEM	142 NAMED MODULE WATER	TEMPLATERUNG &	144 OTE A. CANISOLATE	Leak Leak	INCLUDE MODULEVALVE COMPONENT	196 TEMPLATE RUNGS	3 STEWED	DATA DE FINITION II < DATA DEFINITIONNAME = "B. AC" TYPE = "INTESER! NAINE "E."	DATADEFINITION    < DATADEFINITION NAME = "S.M AXSERVICES" TYPE = "NTESED" IN " - "-"	C150
	ABBREVIATION	ACP	FACTORYCLASS 1142	USERDEFINED COMPONENT	SUPERTYPES	ACU CHILLED WATER	SYSTEMCOMPOVEN	SUBTYPES		DATA DE FINITION II	DATADEFINITION !	
TEMPLATE	70 ZV		PUMP REQUEST LINKAGE	ROUTINGT SERVICE	SUPPLY	136 TEMPERATURE MONITOR	VALVE WATERLOAD	204	ANALOG INPUT	SYSTEM COMPONENT	WATERCONNECTION	

2

F16.8

